

Monoclonal Antibody IOTest® CD13-PC5.5

PN A79389 – 50 tests – Liquid – 10 µL/test* – Clone Immu103.44

Analyte Specific Reagent.

Analytical and performance characteristics are not established.

SPECIFICITY

The CD13 antigen is a transmembrane glycoprotein with a large extracellular region and a small intracellular NH₂-terminal tail. It has a molecular weight of 150 kDa and is expressed on the cell surface as a non-covalently linked homodimer. It is found on most cells of myeloid origin including neutrophils, eosinophils, basophils and monocytes from normal peripheral blood. It is absent from B and T lymphocytes as well as from red blood cells and platelets. This molecule is found on the surface of committed progenitor cells defined as the Granulocyte-Monocyte Colony Forming Units (CFU-GM) in normal bone marrow. There are up to five subpopulations of CD13 molecules possessing different levels of glycosylation, which may explain the different binding patterns of various CD13 antibodies.

The Immu103.44 monoclonal antibody has been assigned to the CD13 cluster of differentiation during the 5th HLDA Workshop on Human Leucocyte Differentiation Antigens held in Boston, USA (1993) (1).

REAGENT

IOTest CD13-PC5.5
Conjugated antibody
PN A79389 - 50 tests - Liquid - 10 µL/test*

Clone	Immu103.44
Isotype	IgG1, Mouse
Immunogen	KG1a + TF1
Hybridoma	X63 x spleen B cells
Source	Ascites fluid
Purification	Protein A affinity chromatography
Conjugation	R Phycoerythrin-Cyanine 5.5 (PC5.5)
Molar Ratio	PC5.5 / Ig : 0.5 - 1.5
Fluorescence	Excites at 488 nm Emits at 692 nm

REAGENT CONTENTS

This antibody is provided in phosphate-buffered saline, containing 0.1% sodium azide and 2 mg/mL bovine serum albumin.

STATEMENTS OF WARNING

1. This reagent contains 0.1% sodium azide. Sodium azide under acid conditions yields hydrazoic acid, an extremely toxic compound. Azide compounds should be flushed with running water while being discarded. These precautions are recommended to avoid deposits in metal piping in which explosive conditions can develop. If skin or eye contact occurs, wash excessively with water.
2. Specimens, samples and all material coming in contact with them should be handled as if capable of transmitting infection and disposed of with proper precautions.
3. Never pipet by mouth and avoid contact of samples with skin and mucous membranes.
4. Do not use antibody beyond the expiration date on the label.
5. Do not expose reagents to strong light during storage or incubation.
6. Avoid microbial contamination of reagents or incorrect results might occur.
7. Use good laboratory practices when handling this reagent.

STORAGE CONDITIONS AND STABILITY

This reagent is stable up to the expiration date when stored at 2 – 8°C. Do not freeze.

REAGENT PREPARATION

No reconstitution is necessary. This monoclonal antibody may be used directly from the vial. Bring reagent to 18 – 25°C prior to use.

PRECAUTIONS

Due to the tandem structure of the fluorochrome, PC5.5 also emits light at 575 nm. This secondary emission peak varies from lot-to-lot of PC5.5. Therefore, for multi-color analysis, the compensation matrix should be carefully checked when changing the lot of a PC5.5-conjugate.

SELECTED RESEARCH REFERENCES

1. Ashmun, R.A., Holmes, K.V., Shapiro, L.H., Favalaro, E.J., Razak, K., De Crom, R.P.G., Howard, C.J., Look, A.T., "CD13 cluster workshop report", 1995, Leucocyte Typing V; Schlossman, S.F., et al. Eds, Oxford University Press, p 771-775.

TRADEMARKS

Beckman Coulter, the Beckman Coulter logo, COULTER, and IOTest are registered trademarks of Beckman Coulter, Inc.

MANUFACTURED BY :

IMMUNOTECH SAS
a Beckman Coulter Company
130, avenue de Lattre de Tassigny
B.P. 177 - 13276 Marseille Cedex 9
France

For additional information in the USA, call 800-526-7694.

Outside the USA, contact your local Beckman Coulter representative.

www.beckmancoulter.com

Printed in France.
Made in France.

©2009 Beckman Coulter, Inc.

(*): 10 µL is the quantity of product sufficient to stain
5 x 10⁵ cells in a standard immunofluorescence assay