

IOTest CD127-APC-Alexa Fluor 750

PN B12700 – 0.5 mL – Liquid – 10 µL/test – Clone R34.34

Analyte Specific Reagent.

Analytical and performance characteristics are not established.

SPECIFICITY

CD127 is the α chain of the IL-7 receptor (IL-7R α). It is a 75 – 80 kDa transmembrane molecule which associates at least with CD132 (IL-2R γ chain) to form the high-affinity IL-7R (1). CD127 binds the IL-7 which is essential for the development and survival of T lymphocytes (2)

The R34.34 monoclonal antibody (mAb) reacts with normal B cell precursors (BCP) but not with mature B cells. It also reacts with T lymphocytes, with a subpopulation of monocytes from peripheral blood and with a subset of CD34⁺ cells (3).

MAb R34.34 was assigned to the CD127 cluster of differentiation at the 6th HLDA Workshop on Human Leucocyte Differentiation Antigens in Kobe, Japan, in 1996 (1).

REAGENT

IOTest CD127-APC-Alexa Fluor 750
Conjugated antibody
PN B12700 - 0.5 mL - Liquid - 10 µL/test

Clone	R34.34
Isotype	IgG1, Mouse
Immunogen	Pre-Alp, pre-B leukemic cell line
Hybridoma Source	NS1 x balb/c Ascites fluid or supernatant of in vitro cultured hybridoma cells.
Purification	Affinity chromatography
Conjugation	Allophycocyanin-Alexa Fluor 750 (APC-Alexa Fluor 750)
Molar Ratio	APC-Alexa Fluor 750 / Ig : 0.5 - 1.5
Fluorescence	Excites at 633/638 nm Emits at 775 nm

REAGENT CONTENTS

This antibody is provided in phosphate-buffered saline, containing 0.1% sodium azide and 2 mg/mL bovine serum albumin.

STATEMENTS OF WARNING

1. This reagent contains 0.1% sodium azide. Sodium azide under acid conditions yields hydrazoic acid, an extremely toxic compound. Azide compounds should be flushed with running water while being discarded. These precautions are recommended to avoid deposits in metal piping in which explosive conditions can develop. If skin or eye contact occurs, wash excessively with water.
2. Specimens, samples and all material coming in contact with them should be considered potentially infectious and disposed of with proper precautions.
3. Never pipet by mouth and avoid contact of samples with skin and mucous membranes.
4. Do not use antibody beyond the expiration date on the label.
5. Do not expose reagents to strong light during storage or incubation.
6. Avoid microbial contamination of reagents or incorrect results might occur.
7. Use good laboratory practices when handling this reagent.

STORAGE AND HANDLING CONDITIONS AND STABILITY

This reagent is stable up to the expiration date when stored at 2 – 8°C. Do not freeze. No reconstitution is necessary. This monoclonal antibody may be used directly from the vial. Bring reagent to 18 – 25°C prior to use.

PRECAUTIONS

Due to the tandem structure of the fluorochrome, APC-Alexa Fluor 750 also emits light at 660 nm. This secondary emission peak varies from lot-to-lot of APC-Alexa Fluor 750. Therefore, for multi-color analysis, the compensation matrix should be carefully checked when changing the lot of a APC-Alexa Fluor 750-conjugate.

SELECTED RESEARCH REFERENCES

1. Higuchi, M. Sugamura, K., "CD127 Workshop Panel report", 1997, Leucocyte Typing VI, White Cell Differentiation Antigens. Kishimoto, T., et al., Eds., Garland Publishing, Inc., 838-840.
2. Jiang, Q., Li, WQ., Aiello, FB., Mazzucchelli, R., Asefa, B., Khaled, AR., Durum, SK., "Cell biology of IL-7, a key lymphotrophin", 2005, Cytokine Growth Factor Rev., 16, 513-533.
3. Pandrau-Garcia, D., de Saint-Vis, B., Saeland, S., Renard, N., Ho, S., Moreau, I., Banchereau, J., Galizzi, J-P., "Growth inhibitory and agonistic signals of Interleukin-7 (IL-7) can be mediated through the CDw127 IL-7 receptor", 1994, Blood, 83, 3613-3619.

TRADEMARKS

Beckman Coulter logo and IOTest, are trademarks of Beckman Coulter; Beckman Coulter logo, IOTest are registered in the USPTO and SIPO.

Alexa Fluor is a trademark of Molecular Probes, Inc.

MANUFACTURED BY :

IMMUNOTECH SAS
a Beckman Coulter Company
130, avenue de Lattre de Tassigny
B.P. 177 - 13276 Marseille Cedex 9
France

For additional information in the USA, call 800-526-7694.

Outside the USA, contact your local Beckman Coulter representative.

www.beckmancoulter.com

Printed in France.
Made in France.

©2011 Beckman Coulter, Inc.